EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3183702	ignition starter key switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 18:30
S2	9005344	start end (turn adj1 (off on))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:31
S3	1504522	mirror reflect reflecting reflection reflector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:31
S4	2241462	memory memorize remember preset presetting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:31
S5	9165740	angle angular rotate rotating rotation turn turning move moving movable turnable rotatable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:41
S6	12397803	angle angular rotate rotating rotation turn turning move moving movable turnable rotatable position location setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:41
S7	1019353	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:41
S8	157188	S5 near3 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:41

S9	234005	S6 near3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:44
S10	1791	S7 and S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:46
S11	3150099	vehicle car van truck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:46
S12	511	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 12:34
S13	6125	head adj1 up adj1 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 12:34
S14	114	"head up display vehicle".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 12:41
S15	262	"display apparatus vehicle".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 12:41
S16	1949	"display device vehicle".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 12:41

EAST Search History

S18	205182	(reset original mid middle) adj2 (position angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:03
S21	3183702	ignition starter key switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:23
S22	9005344	start end (turn adj1 (off on))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:22
S23	1019353	S21 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:03
S28	7643	HUD head adj1 up adj1 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:09
S29	132	S28 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:10
S30	469583	S21 near4 (off end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:24
S31	312880	S21 near2 (off end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:24

S32	446	S28 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:25
S33	333	S28 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 16:25
S34	3609405	mid middle center	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:18
S35	8071558	position angle angular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:18
S36	141273	S34 adj2 S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:18
S37	7072047	return detect move rotate turn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:19
S38	5987	S37 near2 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:20
S39	1271641	mirror reflector reflecting reflection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:20

S40	748	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:21
S41	3150099	vehicle car truck van	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:21
S42	7643	HUD head adj1 up adj1 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:21
S45	11321356	start end off on	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:22
S47	1254998	ignition starter key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:23
S48	80786	S47 near2 S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:25
S49	20	S40 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:24
S50	6030	S37 near2 S35 near2 S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:25

S51	110124	S47 near3 S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:26
S52	175	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 17:28
S53	3	S52 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 18:18
S54	5880	"Step out"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 18:18
S57	2321	S54 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 18:18
S58	1085	S57 and rotation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 18:18
S59	456	S58 and (origin original reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:35
S60	1639	S54 and (origin original reset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 18:19

S61	50718	ignition adj1 switch key adj1 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:35
S62	5585850	automatically trigger cause automatic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:35
S63	12426	S61 same S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:36
S64	644	S61 adj2 S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:42
S65	22	S64 and mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:44
S66	319097	automated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:44
S67	1437	S61 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:44
S68	122	S67 and mirror	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 19:44

S71	5106091	(motor rotate rotation spin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:41
S73	153426	(origin original middle beginning between reset) with (position angle angular set setting preset) with (on off activate deactivate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:44
S74	86559	S71 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:43
S75	52922	S73 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:44
S76	20654	S73 same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:44
S77	10031	S73 with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:44
S78	4913	(origin original middle beginning reset) with (position angle angular set setting preset) with (on off activate deactivate) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:45
S79	2356	(origin original middle beginning reset) with (position angle angular set setting preset) with (on off activate deactivate) with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:45

S80	955	(origin original middle beginning reset) with (position angle angular set setting preset) with (on off activate deactivate) with (move rotate rotation) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:46
S81	573	(origin original middle beginning reset) with (position angle angular set setting preset) with (on off activate deactivate) with (move rotate rotation) with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:48
S82	275	(origin original middle beginning reset) adj4 (position angle angular set setting preset) with (on off activate deactivate) with (move rotate rotation) with motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:48
S83	470	(origin original middle beginning reset) adj4 (position angle angular set setting preset) with (on off activate deactivate) with (move rotate rotation) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:49
S84	421	(origin original middle beginning reset) adj2 (position angle angular set setting preset) with (on off activate deactivate) with (move rotate rotation) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/18 23:49
S85	31	(origin original middle beginning reset) adj2 (position angle angular set setting preset) with (on activate) with (move rotate rotation) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 10:11
S86	12319	(return move rotate rotation) with (origin original middle beginning reset) adj2 (position angle angular set setting preset) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 10:11
S87	26	(return move rotate rotation) with (origin original middle beginning reset) adj2 (position angle angular set setting preset) same motor same (on same off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 10:12

EAST Search History

S88	42	(return move rotate rotation) with (origin original middle beginning reset) adj2 (position angle angular set setting preset) same (motor car vehicle engine) same (on same off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 10:13
S89	164	(return move rotate rotation) with (origin original middle beginning reset) adj2 (position angle angular set setting preset) same (step stepping) adj1 motor and (car vehicle engine motor) same (on off activate deactivate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/19 10:14